



## LEERING NORMFINISH® MOBILE SANDBLASTING ROOM 6 X 3 X 3 M

CHF 79'000.00

### Technical specifications

External dimensions: 8800 x 3500 x 3200 mm (L x W x D)

Blasting area: 5800 x 2900 x 2700 mm (L x W x D)

### Execution with

Scraper floor

Bucket elevator

Filter system

Pressure blast boiler

## PRODUCT DESCRIPTION

### Technical specifications

External dimensions: 8800 x 3500 x 3200 mm (L x W x D)  
 Blasting area: 5800 x 2900 x 2700 mm (L x W x D)  
 Door opening: 2800 x 2700 mm (W x H)  
 Lighting: LED lamps, 8 x 53 watts

### Scraper floor

Number of scraper tracks: 3  
 Motor power: 1.1 kW and 0.37 kW  
 Grid thickness (height): 50 mm  
 Maximum load grid: 1000 kg on an area of 200 x 200 mm with a span of 1000 mm

### Bucket elevator

Length: approx. 3000 mm

Motor power: 1.1 kW

### Filter system

Number of filter cartridges: 4 pieces

Filter area: 52 m<sup>2</sup> (13 m<sup>2</sup> per filter cartridge)

Filter medium: Polyester

Fan capacity: 4200 m<sup>3</sup> / s at 1500 Pa

Motor power fan: 2.2 kW

Compressed air cleaning: Required pressure 5-6 bar. Consumption approx. 10 Nm<sup>3</sup> / h

### Pressure blast boiler

Volume: 100 liters

Maximum pressure: 12 bar

Electrical connection: 3 x 400 V, 50 Hz, earth and zero / 25A

Total power consumption: 6.5 kW


Color: RAL 7040/7014 light and dark gray

Complete weight: approx. 6000 kg

### Options

- Additional HEPA H13 filter, with emission <0.1 mg / m<sup>3</sup>
- Automatic sieve
- Roof opening for crane loading - pneumatic opening, monitored by sensor
- Digital pressure setting via monitor and PLC control

### Completely in accordance with the CE standard



**Principle of operation**

